

Comsol 100

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 1 of 13

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used of	on the label	
	: Comsol 100	
Other means of identification	ation: None reported.	
Recommended use of th	e chemical and restrictions on	use
Chemical family	 Industrial solvent. Use pattern:Professiona Restriction on use: None Complex combination of 	known
Name, address, and te of the supplier:	·	Name, address, and telephone number of the manufacturer:
Comet Chemical Company Ltd.		Refer to supplier
3463 Thomas Street Innisfill, ON, Canada L9S 3W4		
Supplier's Telephone #	: (705) 436 5580	
24 Hr. Emergency Tel #	GFL Environmental - 1-8	88-772-2543

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Sweet odour.

Most important hazards: Flammable liquid and vapour. Causes skin and eye irritation. Suspected of causing cancer. May be fatal if swallowed and enters airways. Inhalation may cause respiratory irritation and central nervous system depression.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification: Flammable Liquids - Category 3 Skin Irritation - Category 2 Eye irritation - Category 2A Carcinogenicity - Category 2 Specific target organ toxicity, single exposure - Category 3 (respiratory) (narcotic effects) Aspiration Toxicity - Category 1

Label elements

Hazard pictogram(s)



DANGER!



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 2 of 13

SAFETY DATA SHEET

Hazard statement(s)

Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Precautionary statement(s)

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapours. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Other hazards which do not result in classification : Burning produces obnoxious and toxic fumes. Ingestion may cause irritation of the mouth, throat and stomach.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
Solvent naphtha (petroleum), light aromatic	Petroleum Distillate	64742-95-6	30.0 - 60.0
1,2,4-Trimethyl benzene	Pseudocumene	95-63-6	30.0 - 60.0
1,3,5-Trimethylbenzene	Mesitylene Trimethylbenzol	108-67-8	10.0 - 30.0
1,2,3-Trimethylbenzenes	1,2,3-Trimethylbenzene	526-73-8	1.0 - 5.0
Cumene	Isopropyl benzene	98-82-8	0.1 - 1.0



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 3 of 13

SAFETY DATA SHEET

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES			
Description of first ai	Description of first aid measures		
Ingestion	: Immediately call a POISON CENTRE or doctor/physician. Do not induce vomiting. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.		
Inhalation	 Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTRE or doctor/physician if you feel unwell. 		
Skin contact	 Wash affected areas with soap and water. Take off contaminated clothing and wash before re-use. Get medical attention if irritation develops and persists. 		
Eye contact	 Flush with large amounts of water for 15 minutes. Remove contact lenses, if present and easy to do. If irritation or symptoms develop, seek medical attention. 		
Most important symptoms and effects, both acute and delayed			
	: Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Causes skin irritation. Symptoms may include redness, edema, drying defatting and cracking of the skin. Causes serious eye irritation. Symptoms may include stinging, tearing, redness and swelling. Suspected of causing cancer.		
Indication of any imm	nediate medical attention and special treatment needed		
	 Troat symptomatically Assiration bazard. This product is a CNS depressant 		

: Treat symptomatically. Aspiration hazard. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable extinguishing media	
0 0	
:	Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.
Unsuitable extinguishing media	a
:	Do not use a solid water stream as it may scatter and spread fire.
Special hazards arising from the	e substance or mixture / Conditions of flammability
:	Flammable liquid and vapor.Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Vapour can travel considerable distance and flashback to a source of ignition. Vapours are heavier than air and collect in confined and low-lying areas.
Flammability classification (OS	HA 29 CFR 1910.106)
:	Flammable Liquids - Category 3
Hazardous combustion product	S
:	Carbon dioxide and carbon monoxide. Other unidentified organic compounds .
Special protective equipment an Protective equipment for fire-fig	
:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 4 of 13

SAFETY DATA SHEET

Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Dike for water control. Avoid release to the environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment. Environmental precautions Ensure spilled product does not enter drains, sewers, waterways, or confined : spaces.For large spills, dike the area to prevent spreading. Methods and material for containment and cleaning up : Remove all sources of ignition. Ventilate the area. Prevent further leakage or spillage if safe to do so. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).Contact the proper local authorities. Special spill response procedures

In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC). US CERCLA Reportable quantity (RQ): None reportable.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Use only non-sparking tools.Use explosion-proof electrical and ventilating equipment. Ground/Bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from incompatibles. Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use.
Conditions for safe storage	:	Store in a cool, dry, well-ventilated area. Store locked up.Store away from incompatibles and out of direct sunlight. Keep cool. Keep container tightly closed. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.
Incompatible materials	:	Strong oxidizers (e.g. Chlorine, Peroxides, etc.).



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 5 of 13

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

xposure Limits:				
Chemical Name	ACGIH TLV		OSHA PEL	
	<u>TWA</u>	STEL	PEL	<u>STEL</u>
Solvent naphtha (petroleum), light aromatic	N/Av	N/Av	N/Av	N/Av
1,2,4-Trimethyl benzene	25 ppm (trimethylbenzene isomers)	N/Av	25 ppm (trimethylbenzene isomers) (final rule limit)	N/Av
1,3,5-Trimethylbenzene	25 ppm (mixed isomers)	N/Av	25 ppm (trimethylbenzene isomers) (final rule limit)	N/Av
1,2,3-Trimethylbenzenes	25 ppm (trimethylbenzene isomers)	N/Av	N/Av	N/Av
Cumene	50 ppm	N/Av	50 ppm ; 245 mg/m³ (Skin)	N/Av

Exposure controls

Ventilation and engineering measures

	: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value. Use explosion-proof electrical and ventilating equipment.
Respiratory protection	: Respiratory protection is required if the concentrations exceed the TLV. Use a NIOSH approved dust respirator if dust levels exceed exposure limits. Seek advice from respiratory protection specialists.
Skin protection	: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Advice should be sought from glove suppliers.
Eye / face protection	 Wear eye/face protection. Safety glasses with side-shields or chemical splash goggles.
Other protective equipment	: Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
General hygiene consideration	ons
	: Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove

soiled clothing and wash it thoroughly before reuse. SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	:	Liquid.
Colour	:	Clear, colorless.
Odour	:	Sweet odour.
Odour threshold	:	2 ppm
рН	:	No information available.
Melting Point/Freezing point	:	Not available.



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 6 of 13

SAFETY DATA SHEET

Initial boiling point and boiling range

	: 159-170°C (318.2-351°F)
Flash point	: 41.7°C (107.1°F)
Flashpoint (Method)	: closed cup
Evaporation rate (BuAe = 1)	: Not available.
Flammability	: Not applicable.
Lower explosion or flammab	ility limit (% by vol.)
	: Not available.
Upper explosion or flammab	
	: Not available.
Oxidizing properties	: None.
Explosive properties	: Not explosive
Vapour pressure	: 0.8 kPa @ 38°C
Relative vapour density	: 4
Relative density / Specific gr	avity
	: 0.870
Solubility in water	: Insoluble.
Other solubility(ies)	: Soluble in most organic solvents (e.g. ethanol, acetone, diethyl ether, chloroform).
Partition coefficient: n-octan	ol/water or Coefficient of water/oil distribution
	: No information available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: No information available.
Viscosity	: 0.7 mPa.s
Particle characteristics	: Not applicable.
Volatiles (% by weight)	: Not available.
Volatile organic Compounds	
	: No information available.
Absolute pressure of contair	ner
	: Not applicable.
Flame projection length	: Not applicable.
Other physical/chemical com	nments
	: No additional information.
SECTION 10. STABILITY A	AND REACTIVITY
Reactivity	: Not normally reactive.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous read	
	Hazardous polymerization does not occur.
Conditions to avoid	: Ensure adequate ventilation, especially in confined areas. Avoid contact with

Conditions to avoid	•	Lisure adequate ventilation, especially in commed areas. Avoid contact with
		incompatible materials. Avoid heat, sparks, open flames and other ignition sources.
Incompatible materials	:	Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 7 of 13

SAFETY DATA SHEET

Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

	:	May cause respiratory tract irritation. Symptoms may include coughing, choking and wheezing. May cause drowsiness or dizziness. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
Sign and symptoms ingestion	1	
	:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. Aspiration may cause pulmonary oedema and pneumonitis.
Sign and symptoms skin	:	Causes skin irritation. Symptoms may include redness, edema, drying defatting and cracking of the skin.
Sign and symptoms eyes	:	Causes serious eye irritation. Symptoms may include stinging, tearing, redness and swelling.
Potential Chronic Health Effe	ct	-
	:	Prolonged exposure can cause redness, swelling, itching, cracking of the skin, dermatitis and sensitization.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	Suspected of causing cancer. Contains Cumene. Cumene is classified as possibly carcinogenic by IARC (Group 2B).
Reproductive effects & Terate	og	enicity
	:	Not expected to have other reproductive effects.
Sensitization to material	:	Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	:	May cause respiratory irritation. May cause drowsiness or dizziness.
		The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Medical conditions aggravate	əd	by overexposure
	:	Pre-existing skin, eye and respiratory disorders.
Synergistic materials	:	No information available.
Toxicological data	:	There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC50(4hr)	LD:	50
Chemical name	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Solvent naphtha (petroleum), light aromatic	>7360 mg/m³	>5000 mg/kg	>2000 mg/kg
1,2,4-Trimethyl benzene	18 mg/L (vapour)	5000 mg/kg	> 3160 mg/kg
1,3,5-Trimethylbenzene	24 mg/L (vapour)	23 000 mg/kg	> 3160 mg/kg
1,2,3-Trimethylbenzenes	N/Av	N/Av	N/Av
Cumene	8000 ppm; 39 mg/L	2260 mg/kg	10 627 mg/kg



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 8 of 13

SAFETY DATA SHEET

Other important toxicological hazards

: See Section 2 for additional information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

la sur elle sete		T T	oxicity to Fish		
Ingredients	CAS #	LC50 / 96h	NOEC / 21 day	M Factor	
Solvent naphtha (petroleum), light aromatic	64742-95-6	9.22 mg/L (Rainbow trout)	N/Av	None.	
1,2,4-Trimethyl benzene	95-63-6	7.72 mg/L (Fathead minnow)	N/Av	None.	
1,3,5-Trimethylbenzene	108-67-8	12.52 mg/L (Goldfish)	N/Av	None.	
Cumene	98-82-8	4.8 mg/L (Rainbow trout)	N/Av	None.	

Ingredients	CAS #	Тохіс	ity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor	
Solvent naphtha (petroleum), light aromatic	64742-95-6	6.16 mg/L (Daphnia magna)	N/Av	None.	
1,2,4-Trimethyl benzene	95-63-6	3.6 mg/L (Daphnia magna)	N/Av	None.	
1,3,5-Trimethylbenzene	108-67-8	6 mg/L (Daphnia magna)	N/Av	None.	
Cumene	98-82-8	4 mg/L/24hr (Daphnia magna)	N/Av	None.	

Ingredients	CAS #	Тох	cicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Solvent naphtha (petroleum), light aromatic	64742-95-6	N/Av	N/Av	N/Av		
1,2,4-Trimethyl benzene	95-63-6	2.356 mg/L/96hr (Green algae) (QSAR)	N/Av	N/Av		
1,3,5-Trimethylbenzene	108-67-8	3.191 mg/L/96hr (Green algae) (QSAR)	N/Av	None.		
Cumene	98-82-8	2.6 mg/L/72hr (Green algae)	N/Av	None.		

Persistence and degradability

: Readily biodegradable

:

Bioaccumulation potential

No data is available on the product itself. See the following data for ingredient information.



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 9 of 13

SAFETY DATA SHEET

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6	2.1-6	10-2500
1,2,4-Trimethyl benzene (CAS 95-63-6)	3.78	31-275
Cumene (CAS 98-82-8)	3.55 at 23 °C	35.5 species: fish
1,3,5-Trimethylbenzene (CAS 108-67-8)	3.6 - 3.93	23 - 328
1,2,3-Trimethylbenzenes (CAS 526-73-8)	N/Av	N/Av
Mobility in soil : Other Adverse Environmental e	No data is available on the product itself.	
:	No data is available on the product itself.	
SECTION 13. DISPOSAL CON	NSIDERATIONS	
Handling for Disposal :	Handle waste according to recommendations in Se contain hazardous residues.	ection 7. Empty containers may

 Methods of Disposal
 : Dispose in accordance with all applicable federal, state, provincial and local regulations.

 RCRA
 : If this product, as supplied, becomes a waste in the United States, it may meet the prior of a barrankee weather and before the part of a barrankee and barrankee and before the part of a barrankee and barrankee an

criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 10 of 13

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1268	PETROLEUM DISTILLATES, N.O.S.	3	III	3
TDG Additional information		d as a Limited Quantity when transported in containers g (66 pounds) gross mass.	no larger than 5 L	(1.3 gallons); in packages no
49CFR/DOT	UN1268	Petroleum distillates, n.o.s	3	III	3
49CFR/DOT Additional		d as a Limited Quantity when transported in containers g (66 pounds) gross mass.	no larger than 5 L	(1.3 gallons); in packages no
information	exceeding 50 k	g (oo pounds) gross mass.			
	UN1268	Petroleum products, n.o.s.	3	111	
information	UN1268		3	III	
IMDG IMDG Additional	UN1268	Petroleum products, n.o.s.	3		

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

						TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: S 372, Specific To	,
<u>Ingredients</u>	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de Minimis Concentration				
Solvent naphtha (petroleum), light aromatic	64742-95-6	Yes	N/Ap	N/Ap	No	No				
1,2,4-Trimethyl benzene	95-63-6	Yes	None.	None.	Yes	No				
1,3,5-Trimethylbenzene	108-67-8	Yes	None.	None.	No	No				
1,2,3-Trimethylbenzenes	526-73-8	Yes	N/Ap	N/Av	No	No				
Cumene	98-82-8	Yes	5000 lb/ 2270 kg	N/Ap	Yes	No				



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 11 of 13

SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable; Skin irritation; Eye irritation; Carcinogenicity; Specific target organ toxicity, single exposure; Aspiration hazard.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know"				Lists	
ingredients	CAS#	Listed	Type of Toxicity	СА	MA	MN	NJ	PA	RI
Solvent naphtha (petroleum), light aromatic	64742-95-6	No	N/Ap	No	No	No	No	No	No
1,2,4-Trimethyl benzene	95-63-6	No	N/Ap	No	Yes	Yes	Yes	Yes	No
1,3,5-Trimethylbenzene	108-67-8	No	N/Ap	Yes	Yes	No	No	No	No
1,2,3-Trimethylbenzenes	526-73-8	No	N/Ap	No	No	No	No	No	No
Cumene	98-82-8	Yes	Carcinogen	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Solvent naphtha (petroleum), light aromatic	64742-95-6	265-199-0	Present	Present	(9)-1698	KE-31662	Present	No information available.
1,2,4-Trimethyl benzene	95-63-6	202-436-9	Present	Present	(3)-7; (3)-3427	KE-34410	Present	HSR001382
1,3,5-Trimethylbenzene	108-67-8	203-604-4	Present	Present	(3)-7; (3)-3427	KE-34411	Present	HSR001229
1,2,3-Trimethylbenzenes	526-73-8	208-394-8	Present	Present	(3)-7; (3)-3427	KE-34409	Present	HSR004095
Cumene	98-82-8	202-704-5	Present	Present	(3)-32; (3)-22	KE-23957	Present	HSR001184

SECTION 16. OTHER INFORMATION

Legend	: ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services
	CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
	of 1980
	CFR: Code of Federal Regulations
	CNS: Central Nervous System
	DOT: Department of Transportation
	EPA: Environmental Protection Agency
	EINECS: European Inventory of Existing Commercial chemical Substances
	IARC: International Agency for Research on Cancer
	IBC: Intermediate Bulk Container
	IMDG: International Maritime Dangerous Goods
	Inh: Inhalation
	LC: Lethal Concentration
	LD: Lethal Dose



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 12 of 13

SAFETY DATA SHEET

References : Preparation Date (mm/dd/yyyy)	 N/Ap: Not Applicable N/Av: Not Available NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices ECHA - European Chemical Agency Canadian Centre for Occupational Health and Safety, CCInfoWeb databases Safety Data Sheets from manufacturer. US EPA Title III List of Lists California Proposition 65 List OECD - The Global Portal to Information on Chemical Substances - eChemPortal
	42/42/2040
: Reviewed Date SDS (dd/mm/yyy	12/13/2019 /v)
	16/10/2023
	3
Revision Information :	Updated SDS to the comply with new 2023 WHMIS format
Other special considerations fo	r handling
:	Provide adequate information, instruction and training for operators.
Prepared for: Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705 www.cometchemical.com	5-436-5580

Prepared by:

ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.



Comsol 100 SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 13 of 13

SAFETY DATA SHEET

END OF DOCUMENT