



Comet Chemical Company Ltd.
3463 Thomas Street Innisfil ,ON L9S 3W4
Tel: (705) 436-5580 Fax: (705) 436-7194

Material Safety Data Sheet

GLYCOL ETHER DPM (COMSOL DPM)

Revision Date: 2008/05/20

Section 1 : PRODUCT AND COMPANY IDENTIFICATION

Chemical family: Not available.

Product uses: Paint Solvent.

Product name: Glycol Ether DPM (Comsol DPM)

Supplier: Comet Chemical Ltd.
3463 Thomas Street
Innisfil, On.
L9S 3W4.

Supplier 24 hour phone number: (705)436-5580 – weekdays from 8:00-5:00.
(800)567-7455 all other times (Newalta Services).

Section 2 : INGREDIENT INFORMATION

C.A.S.	CONCENTRATION %	Ingrédient	V.L.E.	DL/50	CL/50
34590-94-8	100	DIPROPYLENE GLYCOL MONOMETHYL ETHER	100 PPM (SKIN)	5400 UL/KG RAT ORAL 5.5 ML/KG RAT ORAL 10 ML/KG RABBIT DERMAL	NOT AVAILABLE

Section 2A: ADDITIONAL INGREDIENT INFORMATION

Note: (supplier).
CAS# 34590-94-8: LD50 5136 mg/kg rat oral.
CAS# 34590-94-8: LD50 9600 mg/kg rabbit dermal.

Section 3 : HAZARD IDENTIFICATION

Route of entry: Eye contact, skin contact, skin absorption, inhalation and ingestion.

Effects of acute exposure

Eye contact: No permanent injury expected.
Slight irritant.

Skin contact: May cause slight irritation.

Skin absorption: No adverse effects are expected with normal use.

Inhalation: High vapor concentrations are irritating to the nose, throat and lungs.

Ingestion: Slightly toxic.
Effects of chronic exposure: None expected.
Sensitization to product: No
Carcinogenic effects: Not listed as a carcinogen.
Reproductive effects: No effects reported.
Teratogenicity: Not available.
Mutagenicity: Not available.
Synergistic materials: None known.

Section 4 : FIRST AID MEASURES

Skin contact: Wash thoroughly with soap and water.
Remove contaminated clothing.
Consult a physician if irritation persists.

Eye contact: Flush eyes with clear, running water for 15 minutes while holding eyelids open. If irritation persists, consult a physician.

Inhalation: Remove victim to fresh air. If not breathing, qualified personnel should administer artificial respiration. Get medical attention.

Ingestion: Obtain immediate medical attention.
Do not induce vomiting, keep person warm, quiet.
Guard against aspiration of liquids into lungs.
If vomiting occurs, keep head below hips.
If conscious, give several glasses of water.
Never give anything by mouth to an unconscious person.

Section 5 : FIRE FIGHTING MEASURES

Flammability: Combustible.

Conditions of flammability: Heat, sparks and open flames.

Extinguishing media: Dry chemical.
Foam
Water fog.
Do not use water jet.

Special procedures: Firefighters should wear adequate protective gear.
Self-contained breathing apparatus required.
Use water spray to cool fire exposed containers.

Auto-ignition temperature (°C): Not available.

Flash point (°C), method: 86°C

Lower flammability limit (% vol): 1.1%

Upper flammability limit (% vol): 3%

Explosion Data

Sensitivity to static discharge: Not sensitive.

- Sensitivity to mechanical impact:** Not sensitive.
- Hazardous combustion products:** Carbon monoxide (CO).
Smoke
Nitrogen oxides (NO_x).
- Rate of burning:** Not available.
- Explosive power:** May form explosive peroxides.

Section 6 : ACCIDENTAL RELEASE MEASURES

- Leak/Spill:** Eliminate all sources of ignition.
Dike area to prevent spreading.
Ventilate area.
Wear appropriate protective equipment.
Ground handling equipment.
Use non-sparking tools.
Explosion proof motors are recommended.
Soak up with inert absorbent.
Pump to containers or soak up on inert absorbent.
Place in a closed container for disposal.
Do not flush to sewer.
Blanket spill with foam to protect against accidental ignition.

Section 7 : HANDLING AND STORAGE

- Handling procedures and equipment:** Keep away from heat, sparks, and open flame.
Avoid breathing vapors/mists.
Use adequate ventilation.
Wear personal protective equipment appropriate to task.
Use proper grounding procedures.
Avoid contact with skin, eyes and clothing.
Do not cut, grind, weld or drill on or near containers.
Launder contaminated clothing prior to reuse.
Do not ingest.
- Storage requirements:** Store away from all sources of ignition.
Store away from incompatible materials.
Store in a cool, dry and well ventilated area.

Section 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary Measures

Gloves/Type:



Butyl rubber.
Impervious gloves.

Respiratory/Type: None normally required.

Eye/Type:



Chemical safety goggles.

Footwear/Type: Safety shoes per local regulations.

Clothing/Type: Wear adequate protective clothes.

Other/Type: Eye wash facility should be in close proximity.
Emergency shower should be in close proximity.

Ventilation requirements: As needed to stay below TLV.

Exposure limit of material: Not available for mixture, see the ingredients section.

Section 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid.

Appearance & odor: Colourless.
Clear
Mild ethereal odor.
Hygroscopic.

Odor threshold (ppm): 35 ppm

Vapour pressure (mmHg): 0.4 @ 25°C

Vapour density (air=1): 5.1

Volatiles (%)

By volume: Not available.

**Evaporation rate
(butyl acetate = 1):** Not available.

Boiling point (°C): 190°C

Freezing point (°C): -83°C

pH: Not available.

Specific gravity @ 20 °C: 0.956 (20°C)

Solubility in water (%): Complete.

Coefficient of water\oil dist.: Not available.

VOC: Not available.

Section 10 : STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions.

Conditions of instability: Direct sunlight.

Hazardous polymerization: Will not occur.

Incompatible substances: Strong oxidizing agents.

**Hazardous decomposition
products:** See hazardous combustion products.

Section 11 : TOXICOLOGICAL INFORMATION

LD50 of product, species & route: 5135 mg/kg rat oral.

LC50 of product, species & route: 9600 ppm inhalation.

Section 12 : ECOLOGICAL INFORMATION

Environmental toxicity: No data at this time.

Environmental fate: No data at this time.

Section 13 : DISPOSAL CONSIDERATIONS

Waste disposal: In accordance with municipal, provincial and federal regulations.
May be incinerated.

Section 14 : TRANSPORT INFORMATION

TDG classification: Not regulated.

Special shipping information: See transportation information.

Section 15 : REGULATORY INFORMATION

WHMIS classification:

B3



DSL status: Appears on DSL.

Section 16 : OTHER INFORMATION

Supplier MSDS date: 2008/05/20

This MSDS was generated by *Conform-Plus* Application Service. Visit us at www.netmsds.com.