

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 1 of 10

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Comsol Kero.**

Other means of identification : Not available.

Recommended use of the chemical and restrictions on use

: Petroleum solvent
Use pattern: Professional Use Only
Restriction on use: None known

Chemical family

: Hydrocarbons

Name, address, and telephone number
of the supplier:

Comet Chemical Company Ltd.

3463 Thomas Street
Innisfill, ON, Canada
L9S 3W4

Supplier's Telephone #

: (705) 436-5580

24 Hr. Emergency Tel #

: GFL Environmental - 1-888-772-2543

Name, address, and telephone number of
the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Petroleum odour.

Most important hazards: Flammable liquid and vapour. May be fatal if swallowed and enters airways.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification :

Flammable Liquids - Category 3

Aspiration Toxicity - Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 2 of 10

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Wash hands thoroughly after handling.
Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Other hazards which do not result in classification:

May cause skin and respiratory irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Direct eye contact may cause slight or mild, transient irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Distillates, petroleum, hydrotreated light	Distillates (petroleum), hydrotreated light	64742-47-8	100.00

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Induce vomiting ONLY under the direct supervision of qualified medical personnel or a poison control centre. Never give anything by mouth to an unconscious person.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
- Skin contact* : Immediately flush with plenty of water, while removing contaminated clothing. If irritation persists, seek prompt medical attention. Launder clothing before reuse.
- Eye contact* : Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact lenses if worn, and continue flushing for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.

Most important symptoms and effects, both acute and delayed

- : Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Direct skin contact may cause slight or mild, transient irritation. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. Direct eye contact may cause slight or mild, transient irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. Aspiration hazard.

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 3 of 10

SAFETY DATA SHEET

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Burning produces obnoxious and toxic fumes. Flammable liquid and vapour. Vapors are heavier than air and will settle and collect in low areas and pits, displacing breathing air.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable Liquids - Category 3

Hazardous combustion products

- : Carbon oxides, formaldehyde and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

- : Ventilate the area. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Special spill response procedures

- : In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).
US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 4 of 10

SAFETY DATA SHEET

- : Wear protective gloves and eye/face protection. Keep away from heat and open flames. - No smoking. Use with adequate ventilation. Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Keep away from acids and other incompatibles. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous.
- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from areas of excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.
- Incompatible materials** : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>			
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u> <u>STEL</u>
Distillates, petroleum, hydrotreated light	200 mg/m ³ (as total hydrocarbon vapour)	N/Av	N/Av N/Av

Exposure controls

Ventilation and engineering measures

- : Use sufficient mechanical ventilation to maintain exposures below the TLV. Use local exhaust if mist or spray is generated.

Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

- : Wear appropriate chemical resistant gloves. Advice should be sought from glove suppliers.

Eye / face protection

- : Chemical goggles are recommended when there is a potential for splashing.

Other protective equipment

- : Emergency showers and eyewash facilities should be nearby. Wear a chemically resistant apron and long sleeves when dispensing, to prevent skin contact.

General hygiene considerations

- : Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. When using do not eat or drink. When using do not smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical State** : Liquid.
Colour : Clear, colorless.
Odour : Petroleum odour.
Odour threshold : N/Av
pH : N/Av
Melting Point/Freezing point : -68.1°C (-90.58°F)
Initial boiling point and boiling range : 230.4°C (446.72°F)

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 5 of 10

SAFETY DATA SHEET

Flash point : 47°C (116.6°F)
Flashpoint (Method) : closed cup
Evaporation rate (BuAe = 1) : N/Av
Flammability : Not applicable.
Lower explosion or flammability limit (% by vol.) : 1.1
Upper explosion or flammability limit (% by vol.) : 6.0
Oxidizing properties : None known.
Explosive properties : Not explosive
Vapour pressure : 0.003 kPa
Relative vapour density : 5.58
Relative density / Specific gravity : 0.95
Solubility in water : Insoluble.
Other solubility(ies) : Soluble in most organic solvents.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : 5.1-8.8
Auto-ignition temperature : 227°C (440.6°F)
Decomposition temperature : Not available.
Viscosity : Not available.
Particle characteristics : Not applicable.
Volatiles (% by weight) : No information available.
Volatile organic Compounds (VOC's) : N/Av
Absolute pressure of container : N/Av
Flame projection length : N/Av
Other physical/chemical comments : None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Avoid excessive heat, sparks and open flame. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.
Incompatible materials : Strong oxidizing agents; Strong acids; Strong alkalis
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 6 of 10

SAFETY DATA SHEET

Routes of exposure skin absorption

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. May cause respiratory irritation.

Sign and symptoms ingestion

: Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Sign and symptoms skin

: Direct skin contact may cause temporary redness.

Sign and symptoms eyes

: Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.

Potential Chronic Health Effects

: Symptoms may include redness, edema, drying defatting and cracking of the skin.

Mutagenicity

: Not expected to be mutagenic.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects : According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye or nervous system disorders.

Synergistic materials

: Not available.

Toxicological data

: See below for toxicological data on the substance.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh. rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Distillates, petroleum, hydrotreated light	>6.03 mg/L (aerosol)	>5000 mg/kg	>2000 mg/kg

Other important toxicological hazards

: CNS depression may result from extreme exposures.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: See the following tables for individual ingredient ecotoxicity data. Do not allow material to contaminate ground water system.

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 7 of 10

SAFETY DATA SHEET

Ecotoxicity data:

<u>Ingredients</u>	CAS #	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Distillates, petroleum, hydrotreated light	64742-47-8	45 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Distillates, petroleum, hydrotreated light	64742-47-8	N/Av	N/Av	N/Av

<u>Ingredients</u>	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Distillates, petroleum, hydrotreated light	64742-47-8	N/Av	N/Av	N/Av

Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Distillates, petroleum, hydrotreated light (CAS 64742-47-8)	5.1-8.8	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.





Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 8 of 10

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
IMDG	UN1268	PETROLEUM DISTILLATES, N.O.S.; or PETROLEUM PRODUCTS, N.O.S.	3	III	
IMDG Additional information	May be shipped as LIMITED QUANTITY in inner containers no larger than 5 Litres. Gross weight per package may not exceed 30 kg.				
49CFR/DOT	UN1268	Petroleum distillates, n.o.s	3	III	
49CFR/DOT Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
TDG	UN1268	PETROLEUM DISTILLATES, N.O.S.	3	III	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.				
ICAO/IATA	UN1268	Petroleum distillates, n.o.s.	3	III	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction				

Special precautions for user : Keep away from heat, sparks and open flame - No smoking.

Environmental hazards : See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	de Minimis Concentration
Distillates, petroleum, hydrotreated light	64742-47-8	Yes	N/Ap	N/Av	Toxic Chemical No	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard ;Immediate (Acute) health hazard .

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 9 of 10

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Distillates, petroleum, hydrotreated light	64742-47-8	No	N/Ap	No	No	No	No	No	No

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Distillates, petroleum, hydrotreated light	64742-47-8	265-149-8	Present	Present	(9)-1700	KE-12550	Present	No information available.

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CNS: Central Nervous System
COC: Cleveland Open Cup
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
IARC: International Agency for Research on Cancer
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Values
TWA: Time Weighted Average

References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices2. ECHA - European Chemical Agency3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases4. Safety Data Sheets from manufacturer.5. US EPA Title III List of Lists 6. California Proposition 65 List 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

: 11/23/2015

Reviewed Date SDS (dd/mm/yyyy)

: 27/02/2024

Revision No.

: 2



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

Comsol Kero.

SDS Revision Date (mm/dd/yyyy): 02/27/2024

Page 10 of 10

SAFETY DATA SHEET

Revision Information : 1. IDENTIFICATION 5. FIRE-FIGHTING MEASURES 9. PHYSICAL AND CHEMICAL PROPERTIES 15. REGULATORY INFORMATION

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<u>Prepared for:</u> Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com	
<u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

END OF DOCUMENT