

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Comsol PM (Glycol Ether PM)**

Other means of identification : None assigned.

Recommended use of the chemical and restrictions on use

: Industrial solvent.
Use pattern: Professional use only
Recommended restrictions: Not intended for use by children.

Chemical family : aliphatic glycol ether

**Name, address, and telephone number
of the supplier:**

Comet Chemical Company Ltd.

3463 Thomas Street
Innisfill, ON, Canada L9S 3W4

Supplier's Telephone # : 705-436-5580

24 Hr. Emergency Tel # : GFL Environmental - 1-888-772-2543

**Name, address, and telephone number of
the manufacturer:**

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Ether like odour.

Most important hazards: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification :

Flammable Liquid - Category 3

Specific target organ toxicity, single exposure - Category 3 (respiratory)

Specific target organ toxicity, single exposure - Category 3 (narcotic effects)

Label elements

Hazard pictogram(s)



Signal Word

WARNING!

Hazard statement(s)

Flammable liquid and vapor.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Comsol PM (Glycol Ether PM)
SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking
 Keep container tightly closed.
 Ground and bond container and receiving equipment.
 Use explosion-proof electrical and ventilating equipment.
 Use non-sparking tools.
 Take action to prevent static discharges.
 Avoid breathing mist or vapours.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 In case of fire: Use water fog, dry chemical, CO₂ or 'alcohol' foam to extinguish.

Store locked up.
 Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes.

May be sensitive to static discharge.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May cause mild skin and eye irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical name</u> | <u>Common name and synonyms</u> | <u>CAS #</u> | <u>Concentration (% by weight)</u> |
|-------------------------------|------------------------------------|--------------|------------------------------------|
| Propylene glycol methyl ether | 1-Methoxy-2-Propanol alpha-PGME | 107-98-2 | 100.00 |

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms persist. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Inhalation* : If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTRE or doctor/physician if you feel unwell.
- Skin contact* : Immediately flush with plenty of water, while removing contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
- Eye contact* : For eye contact, flush with running water for at least 15 minutes. If eye irritation persists: get medical advice/attention.

Most important symptoms and effects, both acute and delayed

- : May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Contact with eyes or skin may cause mild irritation.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant.

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 3 of 11

SAFETY DATA SHEET

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Flammable liquid and vapour. Vapours may ignite explosively. Vapours are heavier than air and may spread along floors. May form explosive peroxides.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquids - Category 3

Hazardous combustion products

: Carbon dioxide and carbon monoxide.; Aldehydes

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

: Do not breathe fumes or vapours. Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

Special spill response procedures

: In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC). EPA/CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 4 of 11

SAFETY DATA SHEET

- : Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Use only non-sparking tools. Take precautionary measures against static discharges. Ground all equipment during handling. Use explosion-proof electrical and ventilating equipment.
- Conditions for safe storage** : Keep container tightly closed. Store in cool/well-ventilated place. Store locked up. Keep cool. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.No smoking. Empty containers may contain hazardous residues.
- Incompatible materials** : Strong oxidizers (e.g. Chlorine, Peroxides, etc.); Strong acids ;Strong bases

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| <u>Exposure Limits:</u> | <u>ACGIH TLV</u> | | <u>OSHA PEL</u> | |
|-------------------------|-------------------------------|-------------|-----------------|-------------|
| | <u>TWA</u> | <u>STEL</u> | <u>PEL</u> | <u>STEL</u> |
| | Propylene glycol methyl ether | 50 ppm | 100 ppm | N/Av |

Exposure controls

Ventilation and engineering measures

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof electrical and ventilating equipment. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : If airbourne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

Skin protection

- : Wear protective gloves. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. Advice should be sought from glove suppliers.

Eye / face protection

- : Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles

Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

- : Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical State** : Liquid.
Colour : Clear, colorless.
Odour : Ether like odour.
Odour threshold : 10 ppm
pH : Not applicable.
Melting Point/Freezing point : -96°C (-140.8°F)

Comsol PM (Glycol Ether PM)
SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 5 of 11

SAFETY DATA SHEET

Initial boiling point and boiling range

: 120°C (248°F)

Flash point : 32-36°C (89.6-96.8 °F)

Flashpoint (Method) : Seta closed cup

Evaporation rate (BuAe = 1) : No data available.

Flammability : Not applicable.

Lower explosion or flammability limit (% by vol.)

: 1.6%

Upper explosion or flammability limit (% by vol.)

: 13.8%

Oxidizing properties : None.

Explosive properties : May form explosive peroxides.

Vapour pressure : 11.8 mm Hg

Relative vapour density : 3.1

Relative density / Specific gravity

: 0.92

Solubility in water : Soluble

Other solubility(ies) : Soluble in most organic solvents.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: 0.37

Auto-ignition temperature : 287°C (548.6°F)

Decomposition temperature : No information available.

Viscosity : 1.81 mPa.s

Particle characteristics : Not applicable.

Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: No information available.

Absolute pressure of container

: Not applicable.

Flame projection length : Not applicable.

Other physical/chemical comments

: Molecular Weight: 91.1 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Hygroscopic: Absorb moisture from the air. May form explosive mixtures in air.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: May form explosive peroxides upon standing or upon exposure to air or direct sunlight.

Conditions to avoid : Open flames, sparks, high heat, direct sunlight, and close proximity to incompatible substances. Do not use in areas without adequate ventilation. Avoid contact with live or static electrical sources. Avoid moisture.

Incompatible materials : Incompatible materials (see Section 7).

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 6 of 11

SAFETY DATA SHEET

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption
: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin

: Direct skin contact may cause slight or mild, transient irritation.

Sign and symptoms eyes

: Direct eye contact may cause slight or mild, transient irritation.

Potential Chronic Health Effects

: Frequent or prolonged contact may dry the skin, leading to discomfort and dermatitis.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

: May cause respiratory irritation.
May cause drowsiness or dizziness.

Not classified as specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: No information available.

Toxicological data

: See below for toxicological data on the substance.

| <u>Chemical name</u> | <u>LC₅₀(4hr)</u> <u>inh, rat</u> | <u>LD₅₀</u> | |
|-------------------------------|--|------------------------|-----------------------------|
| | | <u>(Oral, rat)</u> | <u>(Rabbit, dermal)</u> |
| Propylene glycol methyl ether | 15 000 ppm (55.3 mg/L) (vapour) | 4016 mg/kg | > 2000 mg/kg (No mortality) |

Other important toxicological hazards

: None reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system.

See data for individual ingredient ecotoxicity data.

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 7 of 11

SAFETY DATA SHEET

Ecotoxicity data:

| <u>Ingredients</u> | CAS # | Toxicity to Fish | | |
|-------------------------------|----------|------------------------------|-------------------------|----------|
| | | LC50 / 96h | NOEC / 21 day | M Factor |
| Propylene glycol methyl ether | 107-98-2 | 20 800 mg/L (Fathead minnow) | > 1000 mg/L (estimated) | None. |

| <u>Ingredients</u> | CAS # | Toxicity to Daphnia | | |
|-------------------------------|----------|-----------------------------|----------------------|----------|
| | | EC50 / 48h | NOEC / 21 day | M Factor |
| Propylene glycol methyl ether | 107-98-2 | 23 300 mg/L (Daphnia magna) | 210 mg/L (estimated) | None. |

| <u>Ingredients</u> | CAS # | Toxicity to Algae | | |
|-------------------------------|----------|--------------------------------|---------------------------|----------|
| | | EC50 / 96h or 72h | NOEC / 96h or 72h | M Factor |
| Propylene glycol methyl ether | 107-98-2 | > 1000 mg/L/96hr (Green algae) | 160 mg/L/96hr (estimated) | None. |

Persistence and degradability

: Readily biodegradable

Bioaccumulation potential

: See the following data for ingredient information.

| <u>Components</u> | <u>Partition coefficient n-octanol/water (log Kow)</u> | <u>Bioconcentration factor (BCF)</u> |
|--|--|--------------------------------------|
| Propylene glycol methyl ether (CAS 107-98-2) | 0.37 | 3.2 |

Mobility in soil

: Potential for mobility in soil is high.

Other Adverse Environmental effects

: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.





Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 8 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

| Regulatory Information | UN Number | UN proper shipping name | Transport hazard class(es) | Packing Group | Label |
|---|---|-------------------------|----------------------------|---------------|---|
| 49CFR/DOT | UN3092 | 1-METHOXY-2-PROPANOL | 3 | III |  |
| 49CFR/DOT Additional information | See 49 CFR section 173.150 for exemptions. | | | | |
| TDG | UN3092 | 1-METHOXY-2-PROPANOL | 3 | III |  |
| TDG Additional information | Refer to the TDG regulations under section 1.17 for exemptions. | | | | |
| IMDG | UN3092 | 1-METHOXY-2-PROPANOL | 3 | III |  |
| IMDG Additional information | Refer to the IMDG instructions. | | | | |
| ICAO/IATA | UN3092 | 1-Methoxy-2-propanol | 3 | III |  |
| ICAO/IATA Additional information | Refer to ICAO/IATA Packing Instruction | | | | |

Special precautions for user : Appropriate advice on safety must accompany the package.
 Keep away from heat, sparks and open flame - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

| <u>Ingredients</u> | CAS # | TSCA Inventory | CERCLA Reportable Quantity(RQ) (40 CFR 117.302): | SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355: | SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical | |
|-------------------------------|----------|----------------|--|--|---|--------------------------|
| | | | | | Toxic Chemical | de Minimis Concentration |
| Propylene glycol methyl ether | 107-98-2 | Yes | None. | None. | No | No |

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable; Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 9 of 11

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

| <u>Ingredients</u> | CAS # | California Proposition 65 | | State "Right to Know" Lists | | | | | |
|-------------------------------|----------|---------------------------|------------------|-----------------------------|-----|-----|-----|-----|-----|
| | | Listed | Type of Toxicity | CA | MA | MN | NJ | PA | RI |
| Propylene glycol methyl ether | 107-98-2 | No | N/Ap | Yes | Yes | Yes | Yes | Yes | Yes |

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

| <u>Ingredients</u> | CAS # | European EINECS | Australia AICS | Philippines PICCS | Japan ENCS | Korea KECI/KECL | China IECSC | NewZealand IOC |
|-------------------------------|----------|-----------------|----------------|-------------------|-----------------|-----------------|-------------|----------------|
| Propylene glycol methyl ether | 107-98-2 | 203-539-1 | Present | Present | (7)-97; (2)-404 | KE-23379 | Present | HSR001187 |

SECTION 16. OTHER INFORMATION

Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AICS: Australian Inventory of Chemical Substances
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- ECHA: European Chemicals Agency
- ECOTOX: U.S. EPA Ecotoxicology Database
- EINECS: European Inventory of Existing Commercial chemical Substances
- ENCS: Existing and New Chemical Substances
- EPA: Environmental Protection Agency
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IBC: Intermediate Bulk Container
- IECSC: Inventory of Existing Chemical Substances
- IMDG: International Maritime Dangerous Goods
- IOC: Inventory of Chemicals
- IUCLID: International Uniform Chemical Information Database
- KECI: Korean Existing Chemicals Inventory
- KECL: Korean Existing Chemicals List
- LC: Lethal Concentration
- LD: Lethal Dose
- N/Ap: Not Applicable
- N/Av: Not Available
- NIOSH: National Institute of Occupational Safety and Health
- NOEC: No observable effect concentration

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 10 of 11

SAFETY DATA SHEET

NTP: National Toxicology Program
 OECD: Organisation for Economic Co-operation and Development
 OSHA: Occupational Safety and Health Administration
 PEL: Permissible exposure limit
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 RCRA: Resource Conservation and Recovery Act
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 SDS: Safety Data Sheet / Material Safety Data Sheet
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TSCA: Toxic Substance Control Act
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References :

1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
2. ECHA - European Chemical Agency
3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
4. Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists
6. California Proposition 65 List
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

: 02/25/2020

Reviewed Date SDS (dd/mm/yyyy)

: 16/01/2024

Revision No.

: 3

Revision Information

: Updated SDS to comply with new 2023 WHMIS format.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

| | |
|--|--|
| <p>Prepared for: Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com</p> |  |
| <p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p> |  |

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

Comsol PM (Glycol Ether PM)

SDS Revision Date (mm/dd/yyyy): 01/16/2024

Page 11 of 11

SAFETY DATA SHEET

END OF DOCUMENT