



Comet Chemical Company Ltd.  
3463 Thomas Street Innisfil ,ON L9S 3W4  
Tel: (705) 436-5580 Fax: (705) 436-7194

## Material Safety Data Sheet

### COMSOL 140 (HIGH FLASH MINERAL SPIRITS)

Revision Date: 2008/05/08

#### Section 1 : PRODUCT AND COMPANY IDENTIFICATION

**Chemical family:** Not available.

**Product uses:** Diluent.  
Low odour solvent.

**Product name:** Comsol 140 (High Flash Mineral Spirits)

**Supplier:** Comet Chemical Ltd.  
3463 Thomas Street  
Innisfil, On.  
L9S 3W4.

**Supplier 24 hour phone number:** (705)436-5580 – weekdays from 8:00-5:00.  
(800)567-7455 all other times (Newalta Services).

#### Section 2 : INGREDIENT INFORMATION

C.A.S.	CONCENTRATION %	Ingédient	V.L.E.	DL/50	CL/50
64742-47-8	100	PETROLEUM DISTILLATE	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

#### Section 2A: ADDITIONAL INGREDIENT INFORMATION

**Note:** (supplier).  
CAS# 64742-47-8: LD50 5000 mg/kg rat oral.  
CAS# 64742-47-8: LD50 3000 mg/kg rabbit dermal.  
CAS# 64742-47-8: TLV 200 mg/m3.

#### Section 3 : HAZARD IDENTIFICATION

**Route of entry:** Eye contact, skin contact, skin absorption, inhalation and ingestion.

##### Effects of acute exposure

**Eye contact:** Mild irritation.

**Skin contact:** May cause drying and irritation.

**Skin absorption:** No adverse effects are expected with normal use.  
May be absorbed through the skin.

**Inhalation:** Irritant.  
Intoxication.  
May cause drowsiness.  
May cause anaesthesia effects.  
Headaches, dizziness.

**Ingestion:** Low toxicity.

**Effects of chronic exposure:** May cause liver and kidney damage.  
Prolonged or repeated overexposure may cause drying and cracking of the skin (dermatitis).

**Sensitization to product:** No

**Carcinogenic effects:** Not listed as a carcinogen.

**Reproductive effects:** No effects reported.

**Teratogenicity:** Not available.

**Mutagenicity:** Not available.

**Synergistic materials:** Not available.

#### Section 4 : FIRST AID MEASURES

**Skin contact:** Wash thoroughly with soap and water.  
Remove contaminated clothing.  
Consult a physician if irritation persists.

**Eye contact:** Flush eyes with clear, running water for 15 minutes while holding eyelids open. If irritation persists, consult a physician.

**Inhalation:** Remove victim to fresh air. If not breathing, qualified personnel should administer artificial respiration. Get medical attention.

**Ingestion:** Obtain immediate medical attention.  
Do not induce vomiting, keep person warm, quiet.  
Guard against aspiration of liquids into lungs.  
If vomiting occurs, keep head below hips.  
Never give anything by mouth to an unconscious person.  
Drink milk.

#### Section 5 : FIRE FIGHTING MEASURES

**Flammability:** Combustible.

**Conditions of flammability:** Heat, sparks and open flames.

**Extinguishing media:** Dry chemical.  
Foam  
Water spray.  
Do not use water jet.

**Special procedures:** Firefighters should wear adequate protective gear.  
Self-contained breathing apparatus required.  
Use water spray to cool fire exposed containers.  
This material may produce a floating fire hazard.

**Auto-ignition temperature (°C):** 227°C

**Flash point (°C), method:** 64°C

**Lower flammability  
limit (% vol):** 1.5%

**Upper flammability  
limit (% vol):** 10.5%

### Explosion Data

- Sensitivity to static discharge:** Take precautionary measures against static discharge.
- Sensitivity to mechanical impact:** Not sensitive.
- Hazardous combustion products:** Carbon monoxide (CO).  
Smoke  
Nitrogen oxides (NO<sub>x</sub>).  
Partially oxidized hydrocarbons.
- Rate of burning:** Not available.
- Explosive power:** Not available.

### Section 6 : ACCIDENTAL RELEASE MEASURES

- Leak/Spill:** Eliminate all sources of ignition.  
Dike area to prevent spreading.  
Ventilate area.  
Wear appropriate protective equipment.  
Ground handling equipment.  
Use non-sparking tools.  
Explosion proof motors are recommended.  
Soak up with inert absorbent.  
Pump to containers or soak up on inert absorbent.  
Place in a closed container for disposal.  
Do not flush to sewer.  
Blanket spill with foam to protect against accidental ignition.

### Section 7 : HANDLING AND STORAGE

- Handling procedures and equipment:** Keep away from heat, sparks, and open flame.  
Avoid breathing vapors/mists.  
Use adequate ventilation.  
Wear personal protective equipment appropriate to task.  
Use proper grounding procedures.  
Avoid contact with skin, eyes and clothing.  
Do not cut, grind, weld or drill on or near containers.  
Launder contaminated clothing prior to reuse.  
Do not ingest.
- Storage requirements:** Store away from all sources of ignition.  
Store away from incompatible materials.  
Store in a cool, dry and well ventilated area.

### Section 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Precautionary Measures

**Gloves/Type:**



Nitrile or viton.

**Respiratory/Type:** None required under normal use.  
If TLV is exceeded.



NIOSH approved organic vapors.

**Eye/Type:**



Chemical safety goggles.

**Footwear/Type:** Safety shoes per local regulations.

**Clothing/Type:** Long sleeve shirt, long trousers.  
When splashing is possible.  
Viton clothing.

**Other/Type:** Eye wash facility should be in close proximity.  
Emergency shower should be in close proximity.

**Ventilation requirements:** As needed to stay below TLV.

**Exposure limit of material:** See section 2A.

## Section 9 : PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid.

**Appearance & odor:** Kerosene odour.  
Mild odour.  
Colourless.  
Clear

**Odor threshold (ppm):** Not available.

**Vapour pressure (mmHg):** 0.17 @ 20°C

**Vapour density (air=1):** > 5.4

### Volatiles (%)

**By volume:** Not available.

**Evaporation rate  
(butyl acetate = 1):** Not available.

**Boiling point (°C):** 188–208°C

**Freezing point (°C):** < -54°C

**pH:** Not available.

**Specific gravity @ 20 °C:** 0.800

**Solubility in water (%):** Nil

**Coefficient of water\oil dist.:** Not available.

**VOC:** Not available.

### Section 10 : STABILITY AND REACTIVITY

**Chemical stability:** Stable under normal conditions.

**Conditions of instability:** Contact with incompatible substances.

**Hazardous polymerization:** Will not occur.

**Incompatible substances:** Strong oxidizing agents.

**Hazardous decomposition products:** See hazardous combustion products.

### Section 11 : TOXICOLOGICAL INFORMATION

**LD50 of product, species & route:** 5000 mg/kg rat oral.  
3000 mg/kg rabbit dermal.

**LC50 of product, species & route:** Not available.

### Section 12 : ECOLOGICAL INFORMATION

**Environmental toxicity:** No data at this time.

**Environmental fate:** No data at this time.

### Section 13 : DISPOSAL CONSIDERATIONS

**Waste disposal:** In accordance with municipal, provincial and federal regulations.  
May be incinerated.

### Section 14 : TRANSPORT INFORMATION

**TDG classification:** Not regulated.

**Special shipping information:** See transportation information.

### Section 15 : REGULATORY INFORMATION

**WHMIS classification:**

B3



**DSL status:** Appears on DSL.

### Section 16 : OTHER INFORMATION

**Supplier MSDS date:** 2008/05/08

This MSDS was generated by *Conform-Plus* Application Service. Visit us at [www.netmsds.com](http://www.netmsds.com).