



Comet Chemical Company Ltd.
3463 Thomas Street Innisfil ,ON L9S 3W4
Tel: (705) 436-5580 Fax: (705) 436-7194

Material Safety Data Sheet

N-PROPYL ALCOHOL

Revision Date: 2008/07/16

Section 1 : PRODUCT AND COMPANY IDENTIFICATION

Chemical family: Not available.

Product uses: Solvent.
Industrial feedstock.

Product name: n-Propyl Alcohol

Supplier: Comet Chemical Ltd.
3463 Thomas Street
Innisfil, On.
L9S 3W4.

Supplier 24 hour phone number: (705)436-5580 – weekdays from 8:00-5:00.
(800)567-7455 all other times (Newalta Services).

Section 2 : INGREDIENT INFORMATION

C.A.S.	CONCENTRATION %	Ingrédient	V.L.E.	DL/50	CL/50
71-23-8	100	N-PROPYL ALCOHOL	100 PPM	1870 MG/KG RAT ORAL 6800 MG/KG MOUSE ORAL 2825 MG/KG RABBIT ORAL 5040 MG/KG RABBIT DERMAL	48,000 MG/M3 MOUSE INHALATION

Section 2A: ADDITIONAL INGREDIENT INFORMATION

Note: (supplier).
CAS# 71-23-8: LD50 4050 mg/kg rabbit dermal.
CAS# 71-23-8: LC50 19,500 ppm inhalation.

Section 3 : HAZARD IDENTIFICATION

Route of entry: Eye contact, skin contact, skin absorption, inhalation and ingestion.

Effects of acute exposure

Eye contact: May cause eye damage.
Severe irritation.

Skin contact: May cause drying and irritation.

Skin absorption: No adverse effects are expected with normal use.
May be absorbed through the skin.

Inhalation: Irritant.
Intoxication.
May cause drowsiness.
May cause headache and dizziness.

Ingestion: May cause vomiting and diarrhea.
Effects may be similar to inhalation.
May cause cramps.

Effects of chronic exposure: None known.

Sensitization to product: No

Carcinogenic effects: Effects reported laboratory animals.

Reproductive effects: Experimental reproductive effects reported.

Teratogenicity: Not available.

Mutagenicity: Not available.

Synergistic materials: Not available.

Section 4 : FIRST AID MEASURES

Skin contact: Wash thoroughly with soap and water.
Remove contaminated clothing.
Consult a physician if irritation persists.

Eye contact: Flush eyes with clear, running water for 15 minutes while holding eyelids open. If irritation persists, consult a physician.

Inhalation: Remove victim to fresh air. If not breathing, qualified personnel should administer artificial respiration. Get medical attention.

Ingestion: Obtain immediate medical attention.
Never give anything by mouth to an unconscious person.
Keep head lower than hips to prevent aspiration.
Keep at rest.
If conscious, give large amounts of water and induce vomiting.

Additional information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any inaccuracies.

Section 5 : FIRE FIGHTING MEASURES

Flammability: Flammable.

Conditions of flammability: Heat, sparks and open flames.

Extinguishing media: Dry chemical.
Foam
Water fog.
Do not use water jet.

Special procedures: Firefighters should wear adequate protective gear.
Self-contained breathing apparatus required.
Use water spray to cool fire exposed containers.

Auto-ignition temperature (°C): 400–440°C

Flash point (°C), method: Closed Cup.
23°C

**Lower flammability
limit (% vol):** 2.1%

**Upper flammability
limit (% vol):** 13.7%

Explosion Data

Sensitivity to static discharge: Not sensitive.

Sensitivity to mechanical impact: Not sensitive.

Hazardous combustion products: Carbon monoxide (CO).
Smoke
Nitrogen oxides (NO_x).

Rate of burning: Not available.

Explosive power: Not available.

Section 6 : ACCIDENTAL RELEASE MEASURES

Leak/Spill: Eliminate all sources of ignition.
Dike area to prevent spreading.
Ventilate area.
Wear appropriate protective equipment.
Ground handling equipment.
Use non-sparking tools.
Explosion proof motors are recommended.
Soak up with inert absorbent.
Pump to containers or soak up on inert absorbent.
Place in a closed container for disposal.
Do not flush to sewer.
Blanket spill with foam to protect against accidental ignition.

Section 7 : HANDLING AND STORAGE

**Handling procedures and
equipment:** Keep away from heat, sparks, and open flame.
Avoid breathing vapors/mists.
Use adequate ventilation.
Wear personal protective equipment appropriate to task.
Use proper grounding procedures.
Avoid contact with skin, eyes and clothing.
Do not cut, grind, weld or drill on or near containers.
Launder contaminated clothing prior to reuse.
Do not ingest.

Storage requirements: Store away from all sources of ignition.
Store away from incompatible materials.
Store in a cool, dry and well ventilated area.

Section 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary Measures

Gloves/Type:



Butyl rubber.
Viton gloves.

Respiratory/Type: None required under normal use.
If TLV is exceeded.



NIOSH approved organic vapors.

Eye/Type:



Safety glasses with side-shields.

Footwear/Type:



Impervious boots.

Clothing/Type: Long sleeve shirt, long trousers.



Impervious apron.
When splashing is possible.

Other/Type: Eye wash facility should be in close proximity.
Emergency shower should be in close proximity.

Ventilation requirements: As needed to stay below TLV.

Exposure limit of material: Not available for mixture, see the ingredients section.

Section 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid.

Appearance & odor: Clear
Pungent odour.
Alcoholic odour.
Colorless.

Odor threshold (ppm): 5–11 ppm

Vapour pressure (mmHg): 15 mmHg / 2 kPa @ 20°C

Vapour density (air=1): 2.1

Volatiles (%)

By volume: Not available.

Evaporation rate (butyl acetate = 1): Not available.

Boiling point (°C): 97°C

Freezing point (°C): -126°C

pH: Not available.

Specific gravity @ 20 °C: 0.805

Solubility in water (%): Complete.

Coefficient of water/oil dist.: Not available.

VOC: Not available.

Section 10 : STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions.

Conditions of instability: Contact with incompatible substances.

Hazardous polymerization: Will not occur.

Incompatible substances: Halogens.
Aldehydes.
Strong oxidizing agents.
Concentrated inorganic acids.

Hazardous decomposition products: See hazardous combustion products.

Section 11 : TOXICOLOGICAL INFORMATION

LD50 of product, species & route: 2800 mg/kg rabbit oral.
1870 mg/kg rat oral.
6800 mg/kg mouse oral.
4050 mg/kg rabbit dermal.

LC50 of product, species & route: 19,500 ppm mouse inhalation.

Section 12 : ECOLOGICAL INFORMATION

Environmental toxicity: No data at this time.

Environmental fate: No data at this time.

Section 13 : DISPOSAL CONSIDERATIONS

Waste disposal: In accordance with municipal, provincial and federal regulations.
May be incinerated.

Section 14 : TRANSPORT INFORMATION

TDG classification: n-PROPANOL
UN1274
Class 3
PG II.



Special shipping information: See transportation information.

Section 15 : REGULATORY INFORMATION

WHMIS classification:

B2, D2B.



DSL status: Appears on DSL.

Section 16 : OTHER INFORMATION

Supplier MSDS date: 2008/07/16

This MSDS was generated by *Conform-Plus* Application Service. Visit us at www.netmsds.com.